

Notice of Allowability

Application No.

09/873,614

Examiner

Khiem D. Nguyen

Applicant(s)

WEISS ET AL.

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 08/26/05.
2. ☒ The allowed claim(s) is/are 1-29 and 33-36.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

K.N.

November 16, 2005

DETAILED ACTION

Allowable Subject Matter

Claims 1-29 and 33-36 are allowed.

Reasons For Allowance

The following is a statement of reasons for the indication of allowable subject matter: The prior art taken alone or in combination neither discloses nor makes obvious the instant process of claims as a whole. Particularly, the prior art, Marukawa et al. (U.S. Patent 5,627,090) discloses a method of overlying a parent structures 3, 4 selectively deposited on a substrate 1 with an organic molecule 5, 6; depositing a layer 7 over the at least one parent structure and in contact with at least a portion of the organic molecule layer; and removing the organic molecule layer contacting the parent structure and the organic molecule layer to leave a residual structure 7a (col. 7, line 61 to col. 10, line 4 and FIGS. 1-5). Marukawa et al., however, does not teach or suggest overlying a parent structure with a plurality of organic molecules wherein each of the plurality having a metal ion coordinating portion adsorbing on the parent structure in preference to the substrate to form a deposit consisting of an organic molecule single layer contacting the parent structure; applying a metal ion solution to the organic molecule single layered parent structure to attach the metal ion to the metal ion coordinating portion of the organic molecules; depositing a layer over the parent structure and in contact with portion of the organic molecule single layer; and removing the organic molecule single layer contacting the parent structure and the organic molecule layer to leave a residual structure as recited in the currently amended independent claim 1, lines 3-14).

Art Unit: 2823

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khiem D. Nguyen whose telephone number is (571) 272-1865. The examiner can normally be reached on Monday-Friday (8:30 AM - 5:30 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Smith can be reached on (571) 272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

K.N.
November 16, 2005



MATTHEW SMITH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800